



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



S3

MANUAL WALK-BEHIND SWEEPER

- Experience maximum productivity and debris pick-up with TwinMax™ sweeping technology
- Rely on quality construction with durable components that have been field-proven in commercial applications
- Clean under objects and in hard-to-reach areas with low profile design and dual side brushes for extended reach and consistent edge sweeping

SWEEP SMARTER, NOT HARDER WITH THE TENNANT S-SERIES SWEEPERS.



EXPERIENCE MAXIMUM PRODUCTIVITY

Dual side brushes increase the sweeping path to 34 in / 870 mm, and a large 1.8 ft³ / 50 L hopper saves you trips to the dumpster, which gives you more time for cleaning.

VERSATILE ANYTIME, ANYWHERE CLEANING

The S3's flexible design is well suited for indoor and outdoor cleaning. Manual operation makes it the perfect option for noise-sensitive environments.

RELY ON QUALITY CONSTRUCTION AND PROVEN COMPONENTS

Major components field-proven in commercial applications for 10 years. Wrapped front bumper design helps prevent high-impact damage to body and side brushes.

SMART, INTUITIVE DESIGN

Increase productivity with simple, no-tool side brush adjustments and easy-to-use operation for less time training and more time cleaning. The sweeper's contoured handle is padded and ergonomically designed for optimal operator comfort.

INSIDE THE S3



TWINMAX™ SWEEPING TECHNOLOGY

Equipped with Tennant's TwinMax sweeping technology, the S3 cleans your floors in a single pass. The twin, counter-rotating brushes combine overthrow and direct sweeping principles to capture large and small debris with one machine.



TwinMax technology is designed for sweeping multiple surfaces in both indoor and outdoor environments, giving you maximum versatility for anytime, anywhere cleaning.

- A** Ergonomically designed handle, contoured and padded for operator comfort.
- B** No-tool, fully adjustable dual side brushes clean corners and edges easily without changing directions. Increased cleaning path coverage increases productivity and can be adjusted to your floor surface for optimal cleaning.
- C** Tennant True® brushes are designed to fit your machine and deliver optimal cleaning performance. Chevron bristle pattern and TwinMax technology work together to pick up more debris in a single pass.
- D** TwinMax sweeping technology combines overthrow and direct sweeping principles to pick up a greater variety of debris with one machine.
- E** Large 1.8 ft³ / 50 L hopper reduces empties and is easy to remove, simplifying the cleaning process and increasing operator productivity.



OPTIMIZE CLEANING
PERFORMANCE WITH
TENNANTTRUE®

Maximize the uptime and life of your Tennant equipment with Tennant True Parts and Service. Benefit from the unmatched knowledge of our team of over 400 factory-trained and certified Tennant Service technicians. Tennant True Parts are designed to fit your Tennant machine and deliver optimal cleaning performance. This helps reduce machine downtime and service calls. Depend on Tennant True to help you maximize the effectiveness of cleaning operations.

Tennant True Parts program includes Tennant, Nobles, Green Machines and Orbio cleaning equipment.

Choose GE Capital, U.S. Bancorp, or All-Line Leasing for simple, quick financing with flexible upgrade options.

S3 MANUAL WALK-BEHIND SWEEPER

SWEEPING SYSTEM

Cleaning path 34 in / 870 mm

BRUSH DRIVE SYSTEM

Main brush length 20 in / 500 mm
Main brush diameter 7.8 in / 200 mm
Side brush diameter 13 in / 320 mm
Debris hopper volume capacity 1.8 ft³ / 50 L
Drive type Belt

POWER SYSTEM

Manual

MACHINE SPECIFICATIONS

Length 43 in / 1092 mm
Width 30 in / 760 mm
Height 55.7 in / 416 mm
Weight 66 lb / 30 kg

WARRANTY

See your local representative for warranty information

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information,
call +1.800.553.8033 or email info@tennantco.com

Tennant
701 North Lilac Drive
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033
Quebec: +1.800.361.9050
Overseas: +1.763.540.1315