# Compact, Rapid-drying Carpet Cleaner

Go places you haven't gone before - with ReadySpace®

- Turn congested areas quickly; with patented ReadySpace technology carpet is clean, dry, and ready for use in less than 30 minutes
- Clean compact spaces easily with ultra-low profile, compact design
- Quietly clean with true OSHA recognized
  69 dBA sound level





More than clean, it's ReadySpace.™

# Carpets cleaned with ReadySpace technology are dry and ready for foot traffic in less than 30 minutes.

## Fresher, healthier environments

ReadySpace helps reduce mold and bacteria growth and leaves cleaner, healthier spaces by using up to 80% less water to clean, and leaving up to 90% less water in the carpet.

## Increase productivity in tight spaces

Clean with ease in tight, congested areas, such as office spaces, with near effortless forward and reverse cleaning action. The ultra-low profile design and Insta-Adjust<sup>™</sup> handle extends your cleaning reach under low profile desks and tables.

## Easy to fill and empty tanks

Easy to fill, empty, and clean Hygenic<sup>®</sup> lift-off tanks offer a unique compact design. Ergonomic handles and grips ensure easy pick up.



## BEAUTIFULLY CLEAN, ALWAYS READY CARPET SPACES

Improve carpet appearance and luster with ReadySpace's exclusive soil transfer rollers that lift and remove the dirt vacuuming leaves behind. The results are exceptional:

- Keep high-traffic areas looking new with frequent cleanings.
- Reduce build up with less chemical to help prevent resoiling.
- Reduce risk of slip-and-fall when transitioning from just cleaned carpet to hard floor.
- Maximize carpet life. ReadySpace technology will not damage carpet (unlike bonneting).



## FROM CLEAN TO CROWD IN MINUTES. Reopen spaces sooner with ReadySpace technology.



First Shift

**6:30 AM** – Cleaning crew finishes cleaning small office space with Tennant R3.

**7:00 AM** – Carpet is clean, dry, and ready for office traffic.



## Check In

**2:30 PM** – Housekeeping finishes cleaning the hotel room with Tennant R3.


**3:00 PM** – Carpet is clean, dry, and ready for guest check in.



## Store Open

**8:30 AM** – Mall maintenance finishes cleaning stores.

**9:00 AM** – Carpet is clean, dry, and ready for shoppers.



## PATENTED READYSPACE TECHNOLOGY

- A Unique soil-transfer rollers are the basis for ReadySpace. When damp, these fabric rollers grab dirt from the carpet fibers and lift it into the machine.
- (B) Inside, a sprayer rinses soil from the rollers, not the carpet.
- © Two powerful individual vacuum shoes extract the dirty water into the recovery tank.



## GENUINE TENNANT PARTS, SUPPLIES & SERVICE

### **Genuine Tennant Parts Advantage**

Operate your machine with confidence by choosing genuine Tennant parts. Only authentic Tennant parts are engineered in conjunction with Tennant equipment. For years of worry-free operation, accept only genuine parts and supplies.

### Industry's Only Factory-Direct Service Network

Providing world-class response, completion times and on-site machine service, our factory-trained network of 450 service techs are dedicated to keeping your cleaning program up and running.

Choose financing options through Tennant for simple, quick financing with flexible upgrade options, and no long-term obligation. Financing is offered through Tennant Financial<sup>®</sup> Services and Tennant Capital<sup>®</sup> Services.

# **R3 CORD-ELECTRIC READYSPACE**

### **SPECIFICATIONS**

Cleaning System		380 mm 19 L 19 L 380 mm			
Cleaning path Solution tank Recovery tank Roller size (dual cylindrical)	15 in 5 gal 5 gal 15 in				
			Roller speed	450 rpm	450 rpm
			Roller motor (2)	0.3 hp	0.22 kW
			Vacuum fan	2-stage, 1.2 hp	2-stage, 0.89 kW
Vacuum motor airflow (max)	99 cfm	2.8 m <sup>3</sup> /min			
Vacuum system sealed waterlift	86 in	2,180 mm			
Solution pump pressure	65 psi	4.48 bar			
Solution spray rate	0.2 gpm	0.76 lpm			
Sound level (operator's ear)	69 dBA	69 dBA			
Dimensions*/Weight					
Product length	30 in	750 mm			
Product width	19 in	490 mm			
Product height	28 in	710 mm			
Product weight	117 lb	53 kg			
Power cord	50 ft	15 m			

#### Warranty

3 years / 2,500 hours on parts and labor. 10 years on rotationally-molded polyethylene tanks. No travel.

#### Optional tools available.

\*Dimensions are measured with handle folded flat for storage.



## SEEING IS BELIEVING

See for yourself how the R3 can help you reach a higher standard of cleanliness and safety in your facility. For a demonstration or additional information, call 800.553.8033. **Tennant** P.O. Box 1452 Minneapolis, MN 55440-1452

800.553.8033 | 763.540.1200 In Quebec: 514.335.6061

www.tennantco.com info@tennantco.com