Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
SECTION 1	I. IDENTIFICATION				
Produc	ct name	: EXCELON® A	NTIMICROBIAL FOAM SOAP		
Produc	ct code	: E5162; E5262			
Manuf	acturer or supplier's	details			
Compa	any name of supplier	: EXCELON, IN	С.		
Addres	SS	: P.O. Box 991 Akron OH 443	09		
Teleph	none	: 330-255-6000			
Emerg	ency telephone	: 1-800-424-9300			
Recon	nmended use of the o	chemical and restri	ctions on use		
Recom	nmended use	: Antibacterial S	Soap		
Recommended use Restrictions on use		consumers an foreseeable us specifically de exempt from the While this mat contains valua proper use of as well as unu spills. This SD employees an intended-use g	onal care or cosmetic product that is safe for d other users under normal and reasonably se. Cosmetics and consumer products, fined by regulations around the world, are he requirement of an SDS for the consumer. erial is not considered hazardous, this SDS ble information critical to the safe handling and the product for industrial workplace conditions sual and unintended exposures such as large S should be retained and available for d other users of this product. For specific guidance, please refer to the information e package or instruction sheet.		

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H226 Flammable liquid and vapor.

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
		H318 Causes se	rious eye damage.
Preca	utionary Statements	No smoking. P233 Keep conta P241 Use explose equipment. P242 Use only n P243 Take preca P280 Wear prote Response: P303 + P361 + F all contaminated P305 + P351 + F water for several and easy to do. 0 CENTER or doct Storage: P403 + P235 Sto Disposal:	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ on-sparking tools. autionary measures against static discharge. active gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON tor/ physician. ore in a well-ventilated place. Keep cool. contents/ container to an approved waste

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture

Substance / Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.

SAFETY DATA SHEET

EXCELON® ANTIMICROBIAL FOAM SOAP

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
In case of eye contact		 In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. 			
If swallowed		Get medical a	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes seriou	is eye damage.		
Protec	ction of first-aiders	: First Aid responders should pay attention to self-protect and use the recommended personal protective equipme when the potential for exposure exists.			
Notes	to physician	: Treat symptor	natically and supportively.		

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Remove all sources of ignition.

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
protective equipment and emergency procedures		Follow safe h	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.		
Env	ironmental precautions	Prevent furthe Prevent sprea barriers). Retain and dia Local authorit	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 		
Methods and materials for containment and cleaning up		Soak up with Suppress (kn jet. For large spill containment t can be pumpe container. Clean up rem absorbent. Local or natio disposal of the employed in t determine wh Sections 13 a	tools should be used. inert absorbent material. ock down) gases/vapors/mists with a water spray s, provide diking or other appropriate o keep material from spreading. If diked material ed, store recovered material in appropriate aining materials from spill with suitable nal regulations may apply to releases and s material, as well as those materials and items ne cleanup of releases. You will need to ich regulations are applicable. nd 15 of this SDS provide information regarding r national requirements.		

SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation :	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling :	Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place.

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
			nce with the particular national regulations. heat and sources of ignition.
Materi	als to avoid	Strong oxidizing Organic peroxide Flammable solids Pyrophoric liquid Pyrophoric solids Self-heating subs	es s s stances and mixtures mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with w	vorkplace control	parameters
--------------------	-------------------	------------

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

Engineering measures : Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 inhalable particles.

Personal protective equipment

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Resp	iratory protection	maintain vapo concentration unknown, ap Follow OSHA use NIOSH/N by air purifyin hazardous ch supplied resp release, expo	local exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. A respirator regulations (29 CFR 1910.134) and ISHA approved respirators. Protection provided g respirators against exposure to any memical is limited. Use a positive pressure air protection if there is any potential for uncontrolled posure levels are unknown, or any other where air purifying respirators may not provide tection.
	protection terial	: Impervious g	loves
Ma	terial	: Flame retarda	ant gloves
Re	marks	on the conce time is not de For special a resistance to gloves with th	es to protect hands against chemicals depending ntration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective he glove manufacturer. Wash hands before t the end of workday.
Еуе р	protection	Chemical res	owing personal protective equipment: istant goggles must be worn. e likely to occur, wear:
Skin a	and body protection	resistance da potential. Wear the follo Flame retarda Skin contact	priate protective clothing based on chemical ta and an assessment of the local exposure owing personal protective equipment: ant antistatic protective clothing. must be avoided by using impervious protective es, aprons, boots, etc).
Hygie	ene measures	located close When using c	eye flushing systems and safety showers are to the working place. do not eat, drink or smoke. hinated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, amber, brown
Odor	: fruity
Odor Threshold	: No data available

Versi 2.0	ion	Revision Date: 04/08/2015		DS Number: 78-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
I	рН		:	4.5 - 8.5	
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	83 °C	
	Flash p	point	:	58.9 °C	
11	Evapor	ation rate	:	No data available)
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available)
	Lower	explosion limit	:	No data available)
	Vapor p	pressure	:	No data available)
	Relativ	e vapor density	:	No data available)
	Density	,	:	1.00 g/cm3	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available)
	Decom	position temperature	:	The substance or	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	10 - 20 mm2/s (2	0 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance or	r mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

ersion 0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
Incom	npatible materials	: Oxidizing ager	nts	
Haza produ	rdous decomposition	: No hazardous	decomposition products are known.	
ECTION	11. TOXICOLOGICAL	INFORMATION		
Inhala Skin o Inges	contact	es of exposure		
	e toxicity lassified based on avai	ilable information.		
<u>Produ</u>	uct:			
Acute oral toxicity		: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method		
Ingre	dients:			
Ethar	oral toxicity	: LD50 (Rat): > 5		
	·			
Acute	inhalation toxicity	: LC50 (Rat): 124 Exposure time: Test atmosphe	4 h	
			-ethanediyl), Ammonium salt:	
Acute	oral toxicity		00 mg/kg Test Guideline 401 d on data from similar materials	
Acute	e dermal toxicity	Assessment: T toxicity	2,000 mg/kg Test Guideline 402 he substance or mixture has no acute derma ed on data from similar materials	

Ammonium dodecyl sulphate:

Acute oral toxicity	 LD50 (Rat): 2,000 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral) Remarks: Based on data from similar materials
Propylene glycol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity	:	LC50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal

ersion .0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
I		toxicity	
	oro-3,5-dimethylphei oral toxicity	: Acute toxicity es Method: Expert	d on harmonised classification in EU regulation
Acute	inhalation toxicity	: LC50 (Rat): > 6 Test atmospher	
Acute	e dermal toxicity	: LD50 (Rat): > 2	000 mg/kg
• • • • • • • • • • • • • • • • • • • •	corrosion/irritation lassified based on ava	ilable information.	
Prod Resu	<u>uct:</u> lt: No skin irritation		
Ethai Speci Metho Resu Alpha Speci Metho Resu	ies: Rabbit od: OECD Test Guidel lt: No skin irritation	cyloxy)-poly(oxy-1,2- ine 404	ethanediyl), Ammonium salt:
Speci Metho	onium dodecyl sulpl ies: Rabbit od: OECD Test Guidel It: Skin irritation		
Speci Metho	ylene glycol: ies: Rabbit od: OECD Test Guidel lt: No skin irritation	ine 404	
Resu	oro-3,5-dimethylpher It: Skin irritation arks: Based on harmor		U regulation 1272/2008, Annex VI
	ous eye damage/eye i		
	es serious eye damag	e.	
Etha Speci Resu	ies: Rabbit	versing within 21 days ine 405	

ersion .0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Speci Resu	a-Sulfo-omega-(dod les: Rabbit lt: Irreversible effects arks: Based on data fr	on the eye	-ethanediyl), Ammonium salt:
Rema	arks. Daseu on uala n		
Speci Resu	onium dodecyl sulp les: Rabbit lt: Irreversible effects od: OECD Test Guide	on the eye	
Speci Resu	ylene glycol: les: Rabbit lt: No eye irritation od: OECD Test Guide	line 405	
	oro-3,5-dimethylphe It: Irreversible effects		
Resp	iratory or skin sensi	tization	
		sified based on availab Not classified based on	
Prod	uct:		
Asses	ssment: Does not cau	se skin sensitization.	
Ingre	dients:		
Ethar	nol:		
	Type: Local lymph no		
	es of exposure: Skin o les: Mouse	contact	
	It: negative		
II Alpha	a-Sulfo-omega-(dode	ecvloxy)-poly(oxy-1.2	-ethanediyl), Ammonium salt:
	Type: Maximization To		
	es of exposure: Skin o	contact	
	es: Guinea pig od: OECD Test Guide	line 106	
	It: negative	anne 406	
	arks: Based on data fr	om similar materials	
II Amm	onium dodecyl sulp	hate:	
	Type: Maximization To		
	es of exposure: Skin c	contact	
	es: Guinea pig lt: negative		
	arks: Based on data fr	om similar materials	
II Prop ^v	ylene glycol:		
Test	Type: Maximization To		
	es of exposure: Skin c	contact	
	es: Guinea pig lt: negative		
Resu	n. negative		

ersion D	Revision Date: 04/08/2015	MSDS Numbe 31378-00005	r: Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Asses		evidence of skin s	ensitization in humans n in EU regulation 1272/2008, Annex VI
	cell mutagenicity assified based on ava	ilable information.	
	dients:		
Ethan Genot	tol: toxicity in vitro	: Test Type: Result: neg	In vitro mammalian cell gene mutation test gative
Genot	toxicity in vivo	Species: M	Route: Ingestion
	a-Sulfo-omega-(dode toxicity in vitro	: Test Type: Method: O Result: neg	-1,2-ethanediyl), Ammonium salt: Bacterial reverse mutation assay (AMES) ECD Test Guideline 471 gative Based on data from similar materials
		Method: O Result: neg	In vitro mammalian cell gene mutation test ECD Test Guideline 476 gative Based on data from similar materials
Geno	toxicity in vivo	cytogenetic Species: M Application Method: O Result: neg	Route: Ingestion ECD Test Guideline 475
ll Amm	onium dodecyl sulpl	nate:	
	toxicity in vitro	: Test Type: Result: neg	In vitro mammalian cell gene mutation test gative Based on data from similar materials
Geno	toxicity in vivo	cytogenetic Species: M Application Method: O Result: neg	louse Route: Ingestion ECD Test Guideline 474
	/lene glycol:		
Geno	toxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) gative
Genot	toxicity in vivo	: Test Type: Species: M	In vivo micronucleus test louse

ersion .0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
		Application Rou Result: negative	ite: Intraperitoneal injection e
	oro-3,5-dimethylphe otoxicity in vitro		terial reverse mutation assay (AMES) e
	inogenicity		
	lassified based on ava	allable information.	
Amm Spec Appli Expo Resu	ionium dodecyl sulp ies: Rat cation Route: Ingestio sure time: 2 Years It: negative arks: Based on data fr	n	
Spec Appli Expo	ylene glycol: ies: Rat cation Route: Ingestio sure time: 2 Years It: negative	n	
IIARC	2		is product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSH	Α		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinoger
•	oductive toxicity		
	lassified based on ava	ailable information.	
<u>Ingre</u> Etha	<u>edients:</u> nol:		
	ts on fertility	Species: Mouse Application Rou	ite: Ingestion Test Guideline 416
	a-Sulfo-omega-(dod o ts on fertility	: Test Type: Two Species: Rat Application Rou Result: negative	

SAFETY DATA SHEET

EXCELON® ANTIMICROBIAL FOAM SOAP

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Effects	on fetal development	Species: Rat Application Ro Result: negati	vo-generation reproduction toxicity study oute: Ingestion ve sed on data from similar materials
Ammo	onium dodecyl sulpha	ite:	
	on fetal development	: Test Type: En Species: Rat Application Ro Result: negati	nbryo-fetal development oute: Ingestion ve sed on data from similar materials
Propv	lene glycol:		
	s on fertility	: Species: Mou Application Ro Result: negati	oute: Ingestion
Effects	on fetal development	Species: Mou	oute: Ingestion

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat NOAEL: > 225 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

4-chloro-3,5-dimethylphenol: Species: Rabbit LOAEL: 180 mg/kg

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Applio Expo	cation Route: Skin co sure time: 90 d	ntact	
Aspir	ration toxicity		
Not c	lassified based on av	ailable information.	
	12. ECOLOGICAL II	NFORMATION	
Ecoto	oxicity		
Ingre	dients:		
Ethai	nol:		

Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Alpha-Sulfo-omega-(dodecy	loxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 7.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 7.4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae	 ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	 NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l Exposure time: 28 d Method: OECD Test Guideline 204 Remarks: Based on data from similar materials

SAFETY DATA SHEET

Toxicity to daphnia and other aquatic invertebrates aquatic invertebrates: NOEC (Daphnia magna (Water flea)): 0.27 mg/l Exposure time: 21 d Remarks: Based on data from similar materialsToxicity to bacteria: EC10 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Method: DN 38 412 Part 8 Remarks: Based on data from similar materials Ammonium dodecyl sulphate: Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: DECD Test Guideline 203 Remarks: Based on data from similar materialsToxicity to algae: EC50 (Desmodesmus subspicatus (green algae)): > 20 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 74 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to baptnia and other aquatic invertebrates: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 74 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to bacteria: EC0 (Pseudomonas putida): 409 mg/l Exposure time: 76 h Method: Diva 84 12 Part 8 Remarks: Based on data from similar materialsToxicity to bacteria: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 96 hToxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time	rsion)	Revision Date: 04/08/2015		DS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materialsAmmonium dodecyl sulphate:Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Detective 62/69/EEC. Remarks: Based on data from similar materialsToxicity to algae: ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other 	aquat	ic invertebrates	:	Exposure time: 2	1 d
Toxicity to fish: LC50 (Oncorthynchus mykiss (rainbow trout)): 3.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): 4.7 mg/l Exposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materialsToxicity to algae: ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d h Method: DIN State 7 d Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materialsPropylene glycol: Toxicity to daphnia and other aquatic invertebrates: LC50 (Oncorthynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 hPropylene glycol: Toxicity to daphnia and other aquatic invertebrates: LC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: LC50 (Ceriodaphnia dubia (water flea)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201Toxicity to fish (Chronic toxicity): Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d	Toxicity to bacteria		:	Exposure time: 10 Method: DIN 38 4	6 h 412 Part 8
aquatic invertebratesExposure time: 48 h Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materialsToxicity to algae: ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l 				Exposure time: 9 Method: OECD T	6 h Test Guideline 203
Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsEC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates 			:	Exposure time: 4 Method: Tested a	8 h according to Directive 92/69/EEC.
Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates (Chronic toxicity): NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l Exposure time: 7 d Remarks: Based on data from similar materialsToxicity to bacteria: EC0 (Pseudomonas putida): 409 mg/l 	Toxic	ity to algae	:	Exposure time: 7 Method: Directive	2 h e 67/548/EEC, Annex V, C.3.
aquatic invertebrates (Chronic toxicity)Exposure time: 7 d Remarks: Based on data from similar materialsToxicity to bacteria: EC0 (Pseudomonas putida): 409 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materialsPropylene glycol: Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l 				Exposure time: 72 Method: Directive	2 h 9 67/548/EEC, Annex V, C.3.
Exposure time: 16 h Method: DIN 38 412 Part 8 Remarks: Based on data from similar materialsPropylene glycol:Toxicity to fish: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 hToxicity to algae: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/ Exposure time: 48 h 	aquat	ic invertebrates	:	Exposure time: 7	d
 Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/ Exposure time: 48 h Method: OECD Test Guideline 201 Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d 	Toxic	ity to bacteria	:	Exposure time: 10 Method: DIN 38 4	6 h 412 Part 8
aquatic invertebratesExposure time: 48 hToxicity to algae: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/ Exposure time: 48 h Method: OECD Test Guideline 201Toxicity to fish (Chronic toxicity): Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d			:		
Exposure time: 48 h Method: OECD Test Guideline 201Toxicity to fish (Chronic toxicity): Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d			:		
toxicity) Exposure time: 30 d	Toxic	ity to algae	:	Exposure time: 4	8 h
Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l			:		
	Toxic	ity to daphnia and other	:	NOEC (Ceriodap	hnia dubia (water flea)): 29,000 mg/l

/ersion 0	Revision Date: 04/08/2015		SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
	ic invertebrates nic toxicity)		Exposure time: 7	d
Toxici	ty to bacteria	:	NOEC (Pseudom Exposure time: 18	onas putida): > 20,000 mg/l 3 h
	oro-3,5-dimethylpheno ity to fish	l: :	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 0.76 mg/l 5 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 7.7 mg/l 3 h
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
Persi	stence and degradabili	ity		
	dients:			
Ethar Biode	iol: gradability	:	Result: Readily bi Biodegradation: 8 Exposure time: 20	34 %
				hanediyl), Ammonium salt:
Вюде	gradability	:		100 %
Amm ⁽	onium dodecyl sulpha	te:		
Biode	gradability	:		75.7 %
	/lene glycol:			
Biode	gradability	:	Result: Readily bi Biodegradation: S Exposure time: 28 Method: OECD To	98.3 %
Bioac	cumulative potential			
Ingre	dients:			
	iol: on coefficient: n- ol/water	:	log Pow: -0.35	
Partiti	a-Sulfo-omega-(dodecy on coefficient: n- ol/water		y)-poly(oxy-1,2-et log Pow: 0.3	hanediyl), Ammonium salt:
			16 / 19	

Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
II.			
	onium dodecyl sulp		
	ion coefficient: n- nol/water	: log Pow: 0.8 - 0).91
Prop	ylene glycol:		
	ion coefficient: n-	: log Pow: -1.07	
	nol/water		
4-chl	oro-3,5-dimethylphe	nol:	
Partit	ion coefficient: n- ol/water		
Mobi	lity in soil		
	ata available		
Othe	r adverse effects		
No da	ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

ersion D	Revision Date: 04/08/2015		Date of last issue: 03/19/2 Date of first issue: 12/11/2	
CERC	CLA Reportable Quar	ntity		
This r	naterial does not conta	ain any components with a	a CERCLA RQ.	
SARA	A 304 Extremely Haza	ardous Substances Repo	ortable Quantity	
This r	naterial does not conta	ain any components with a	a section 304 EHS RQ.	
SAR	A 311/312 Hazards	: Fire Hazard Acute Health Haza	rd	
SAR	A 302		is material are subject to t ARA Title III, Section 302.	he reporting
SAR	A 313	known CAS numbe	not contain any chemical ers that exceed the thresh ablished by SARA Title III	old (De Minimi
US St	ate Regulations			
Penn	sylvania Right To Kr	IOW		
	Water		7732-18-5	70 - 90 %
	Ethanol		64-17-5	1 - 5 %
	Ammoniun	n dodecyl sulphate	2235-54-3	1 - 5 %
		o-omega-(dodecyloxy)-po diyl), Ammonium salt	ly(oxy- 67762-19-0	1 - 5 %
	Propylene		57-55-6	1 - 5 %
	Ammoniun	n sulfate	7783-20-2	0.1 - 1 %
	Propan-2-o	bl	67-63-0	0.1 - 1 %
New .	Jersey Right To Kno	w		
	Water		7732-18-5	70 - 90 %
	Ethanol		64-17-5	1 - 5 %
		n dodecyl sulphate	2235-54-3	1 - 5 %
		o-omega-(dodecyloxy)-po diyl), Ammonium salt	ly(oxy- 67762-19-0	1 - 5 %
	Propylene		57-55-6	1 - 5 %
Califo	ornia Prop 65		not contain any chemicals to cause cancer, birth, or	

The ingredients of this proc	duct are reported in the following inventories:
AICS	: All ingredients listed or exempt.

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL		USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA		8-hr TWA
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	04/08/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8