# SAFETY DATA SHEET

# **Balance Low Suds**

Date Prepared: June 26, 2014 Last Revision Date: June 04, 2015

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Company Identification: Wayne Concept

5005 Speedway Drive Fort Wayne, IN 46825 Phone: (260)482-8615 Fax: (260)483-5598

24 Hour Emergency Telephone

Number:

INFOTRAC (800)535-5053

**Trade Name:** Balance Low Suds

**SDS#**: 840

**Product Use:** No rinse floor cleaner

# 2. HAZARDS IDENTIFICATION

# **EMERGENCY OVERVIEW:**

Color:YellowPhysical State:LiquidOdor:Floral odor

Signal Word: WARNING

**GHS Classification:** Skin Corrsion/Irritation; Cat. 2

Serious eye damage/irritation; Cat. 2B



MAJOR HEALTH HAZARDS: May cause irritation. Avoid contact with eyes, skin or clothing. Harmful if swallowed.

**ECOLOGICAL HAZARDS:** This material has exhibited moderate toxicity to aquatic organisms.

**PRECAUTIONARY STATEMENTS:** Do not get in eyes, on skin, or on clothing. Do not breathe vapor or mist. Keep container tightly closed. Wash thoroughly after handling. Use with adequate ventilation.

.....

#### **POTENTIAL HEALTH EFFECTS:**

Inhalation: Upper respiratory irritation, headaches and coughing.

Skin contact: Skin irritation.

**Ingestion:** Headaches and burning of mucous membranes.

Chronic Effects: Prolonged and repeated skin contact can cause dermatitis.

Medical Conditions Aggravated by Exposure: Skin, eye and upper respiratory tract disorders.

See Section 11: TOXICOLOGICAL INFORMATION

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	%	CAS Number
Isopropyl alcohol	1 – 5	67-63-0
Alcohols, C12-14, ethoxylated propoxylated	1 – 5	68439-51-0

# 4. FIRST AIDMEASURES

**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer basic life support (Cardio-Pulmonary Resuscitation and/or Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

**SKIN CONTACT:** Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry and shoes. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods. GET MEDICAL ATTENTION IMMEDIATELY.

**EYE CONTACT:** Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

**INGESTION:** Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

**Notes to Physician:** The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

# 5. FIRE-FIGHTING MEASURES

**Fire Hazard:** Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

Extinguishing Media: Use extinguishing agents appropriate for surrounding fire.

**Fire Fighting:** Move container from fire area if it can be done without risk. Cool containers with water. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Avoid contact with skin.

Sensitivity to Mechanical Impact: Not sensitive.

Sensitivity to Static Discharge: Not sensitive.

Flash point: None to boiling

# 6. ACCIDENTAL RELEASE MEASURES

**Occupational Release:** Wear appropriate personal protective equipment recommended in Section 8 of the SDS. Completely contain spilled material with dikes, sandbags, etc. Keep out of water supplies and sewers. Liquid material may be removed with a vacuum truck. Flush spill area with water, if appropriate. Releases should be reported, if required, to appropriate agencies.

# 7. HANDLING AND STORAGE

**Storage Conditions:** Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Keep separated from incompatible substances (see Section 10 of SDS).

**Handling Procedures:** Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Recommended Exposure** Limit(s):

Isopropyl alcohol: 200 ppm TWA (ACGIH); 400 ppm STEL (ACGIH)

The American Conference of Governmental Industrial Hygienists (ACGIH) is a voluntary organization of professional industrial hygiene personnel in government or educational institutions in the United States. The ACGIH develops and publishes recommended occupational exposure limits each year called Threshold Limit Values (TLVs) for hundreds of chemicals, physical agents, and biological exposure indices.

ENGINEERING CONTROLS: Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT:

Eye Protection: Wear chemical safety goggles with a faceshield to protect against eye and skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin and Body Protection: Wear protective clothing to minimize skin contact. When potential for contact with wet material exists, wear Tychem® or similar chemical protective suit. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek®. Always place pants legs over boots. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods.

Hand Protection: Wear appropriate chemical resistant gloves.

Protective Material Types: Butyl rubber, Natural rubber, Nitrile, Polyvinyl chloride (PVC), Tychem®, Tyvek®

Respiratory Protection: A NIOSH approved respirator with N95 dust/mist filter (1/2 facepiece) or N100 dust/mist filter (full facepiece) cartridges may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits, or when symptoms have been observed that are indicative of overexposure. If eye irritation occurs, a full face style mask should be used. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid Appearance: Translucent Color: Yellow Odor: Floral odor Flash point: None to boiling 200°F

Boiling Point/Range:

pH:

Freezing Point/Range: Not determined

**Vapor Pressure:** 1 mmHg Vapor Density(air=1): Not determined **Evaporation Rate:** Faster than water Specific Gravity(water=1): 1.002 ±0.005 Density: 8.3367 lbs/gal Water Solubility: Complete

9 ±0.5

# 10. STABILITY AND REACTIVITY

Reactivity/ Stability: Stable at normal temperatures and pressures.

Incompatibilities/ Materials to Avoid: Strong oxidizers and acids.

Hazardous Decomposition Products: Oxides of carbon and nitrogen.

Hazardous Polymerization: Will not occur.

## 11. TOXICOLOGICAL INFORMATION

#### **TOXICITY DATA:**

Component	LD50 Oral:	LC50 Inhalation:	LD50 Dermal:
Isopropyl alcohol	5800 mg/kg (Rat)	12000 ppm 8h (Rat)	16.4 ml/kg (Rabbit)
Alcohols, C12-14 ethoxylated	3234 mg/kg (Rat)		>2000 mg/kg (Rabbit)

CARCINOGENICITY: This product is not classified as a carcinogen by NTP, IARC or OSHA.

## 12. ECOLOGICAL INFORMATION

## **ECOTOXICITY DATA:**

Aquatic Toxicity:

This material has exhibited moderate toxicity to aquatic organisms.

**Toxicity data for components:** 

**Isopropyl alcohol:** LC50 (Fathead minnow): > 1000 ul/l 96hr

LC50 (Golen orfe): 8970 - 9280 mg/l 48hr

LC50 (Daphnid): >1000 ul/l 96hr

Alcohols, C12-14

Ethoxylated: LC50 (Fathead minnow): 4 mg/l 96hr

LC50 (Water flea): 3.5 mg/l48hr IC50 (Bacteria): >1000 mg/l

# FATE ANDTRANSPORT:

**BIODEGRADATION:** This material will disassociate into ionic form in the aquatic environment. Natural carbon dioxide will slowly neutralize this material.

**BIOCONCENTRATION:** This material will not bioconcentrate.

**ADDITIONAL ECOLOGICAL INFORMATION:** This material has exhibited slight toxicity to terrestrial organisms.

**ECOLOGICAL HAZARDS:** This material has exhibited moderate toxicity to aquatic organisms.

## 13. DISPOSAL CONSIDERATIONS

Reuse or reprocess, if possible. Dispose in accordance with all applicable regulations. May be subject to disposal regulations.

# 14. TRANSPORT INFORMATION

**DOT/IMDG/IATA Hazard Classification:** Non-Hazardous, not regulated

Hazardous: N

**Shipping Name:** LIQUID CLEANING COMPOUNDS

Freight Class: 55

#### 15. REGULATORY INFORMATION

#### **U.S. REGULATIONS**

#### **OSHA REGULATORY STATUS:**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

## CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

- If a release is reportable under CERCLA section 103, notify the state emergency response commission and local emergency planning committee. In addition, notify the National Response Center at (800) 424-8802 or (202) 426-2675
- SARA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30): Not regulated
- SARA SECTIONS 311/312 HAZARD CATEGORIES (40 CFR 370.10):

Acute Health Hazard

SARA SECTION 313 (40 CFR 372.65): Components listed below.

None

OSHA PROCESS SAFETY (PSM) (29 CFR 1910.119): Not regulated

#### NATIONAL INVENTORYSTATUS

- U.S. INVENTORY STATUS: Toxic Substance Control Act (TSCA): All components are listed or exempt
- TSCA 12(b): This product is not subject to export notification
- <u>Canadian Chemical Inventory:</u> Canadian Chemical Inventory:

#### STATEREGULATIONS

**California Proposition 65:** This product is not listed, but it may contain impurities/trace elements known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act.

Components		
California Proposition 65 Cancer WARNING:	Not Listed	
California Proposition 65 CRT List - Male reproductive toxin:	Not Listed	
California Proposition 65 CRT List - Female reproductive toxin:	Not Listed	
Massachusetts Right to Know Hazardous Substance List	Not Listed	
New Jersey Right to Know Hazardous Substance List	Not Listed	
New Jersey Special Health Hazards Substance List	Not Listed	
New Jersey - Environmental Hazardous Substance List	Not Listed	
Pennsylvania Right to Know Hazardous Substance List	Not Listed	
Pennsylvania Right to Know Special Hazardous Substances	Not Listed	
Pennsylvania Right to Know Environmental Hazard List	Not Listed	
Rhode Island Right to Know Hazardous Substance List	Not Listed	

#### **CANADIAN REGULATIONS**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations

# 16. OTHER INFORMATION

Prepared by: Wayne Concept

HMIS: (SCALE 0-4) (Rated using National Paint & Coatings Association HMIS: Rating Instructions, 2nd Edition)

Health: 1 Flammability: 0 Reactivity: 0

Personal Protection: B

NFPA 704 - Hazard Identification Ratings (SCALE 0-4)

Health: 1 Flammability: 0 Reactivity: 0

### **IMPORTANT:**

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Wayne Concept assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws.

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees.