Safety Data Sheet

NRFC 64

1. Product and company identification

Product name : NRFC 64

Material uses : No rinse floor cleaner

 SDS#
 : 869

 Prep. date
 : 2/4/2014.

 Rev. date
 : 08/21/2015.

Wayne Concept 5005 Speedway Drive Fort Wayne, IN 46825

Phone: (260) 482-8615 Fax: (260) 483-5598

In case of emergency : INFOTRAC (800) 535-5053

2. Hazards identification

Physical state : Liquid.

Odor : Citrus fragrance.
Color : Clear yellow.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and

available for employees and other users of this product.

Emergency overview: WARNING

CAUSES SEVERE EYE AND SKIN IRRITATION.

Avoid breathing vapor or mist. Avoid contact with eyes. Avoid prolonged or repeated

contact with skin. Wash thoroughly afterhandling.

See toxicological information (Section 11)

GENERAL INFORMATION: Read the entire MSDS for a more thorough evaluation of the hazards.

GHS Classifications : Acute Toxicity (oral); Category 4

Acute Toxicity (dermal); Category 5 Skin Corrosion/Irritation; Category 3

Serious Eye Damage/Irritation; Category 2B



3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>%</u>
☑near alcohol ethoxylate	68439-46-3	1-5
Sodium xylene sulfonate	1300-72-7	<2
Isopropyl alcohol	67-63-0	<2

First aid measures 4.

Eye contact

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Inhalation

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Notes to physician

: No specific treatment. Treat symptomatically. Call medical doctor or poison control center immediately if large quantities have been ingested.

5. Fire-fighting measures

Flash point

Hazardous thermal decomposition products : Øosed cup: 237.78°C (460°F) [DIN 51758 EN 22719 (Pensky-Martens Closed Cup)]

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Accidental release measures 6.

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods for cleaning up

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protectedfrom direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

: In this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Engineering measures

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Respiratory

: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Ehemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

8. Exposure controls/personal protection

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Exposure Limits :

Isopropyl alcohol: TWA 200 ppm (U.S. ACGIH)

9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : Clear yellow.
Odor : Citrus fragrance

pH : 9.5 ±0.5

Boiling/condensation point : 200+.

Melting/freezing point : 5°C (41°F)

Flammable limits : Not available.

Auto-ignition temperature : Not available.

 Vapor pressure
 : ≸ame as water.

 Specific gravity
 : 1.005 ±0.005

 Water solubility
 : Soluble

 Partition coefficient: n : Not available.

octanol/water (log Kow)

Viscosity : Not available

Density : 8.3616.

Vapor density : >1.

Evaporation rate (butyl

acetate = 1)

: Not available.

10. Stability and reactivity

Chemical stability

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid

: No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effects

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

Skin contact : Slightly irritating to the skin.

Eye contact : Slightly irritating to the eyes.

Potential chronic healtheffects

General: No known significant effects or critical hazards.

11. Toxicological information

Target organs: No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Medical conditions aggravated by over-exposure

None known.

Acute Toxicity Data: Isopropyl Alcohol: Oral LD50 (rat) 5,800 mg/kg

Inhalation LC50 (rat) 12,000 ppm Dermal LD50 (rabbit) 16.4 ml/kg

Sodium xylene sulfonate: Oral LD50 (rat) >5g/kg

Dermal (Draize) >2 g/kg(rabbit)

12. Ecological information

Environmental effects: Foxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Water polluting material. May be harmful to the environment if

released in large quantities.

Acute Aquatic Effects : (Isopropyl Alcohol) 96 h LC50 (fathead minnow): >1000 ul/l, 48h LC50 (golden orfe):

8970-9280 mg/l, 96 h LC50 (daphnid): >1000 ul/l

(Alcohol ethoxylate) 96 h LC50 (rainbow trout): 1-10 mg/l, 96 h LC50 (fathead minnow): 6 mg/l, 48 h EC50 (daphnia): 1-10 mg/l, 72 h EC50 (skeletonema

costatum): 1-10 mg/l, 4 h EC50 (nitrifying bacteria): 410 mg/l

Other ecological information

EOD5 : 1,190-1,720 mg/g (Isopropyl alcohol)

COD : 2,230 mg/g
TOC : Not Determined

13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have notbeen cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

DOT/IMDG/IATAHazard Classification: Non-Hazardous, not regulated

Hazardous: N

Shipping Name: LIQUID CLEANING COMPOUNDS

Freight Class: 55

15. Regulatory information

United States

HCS Classification : Not regulated.

U.S. Federal regulations

TSCA 8(b) inventory : United States inventory (TSCA 8b): All components are listed or exempted.

TSCA 5(a)2 final significant new userule

(SNUR)

TSCA 5(e) substance

consent order

: No ingredients listed.

: No ingredients listed.

TSCA 12(b) export

notification

: No ingredients listed.

SARA311/312 : Immediate (acute) health hazard

Clean Air Act Section 112 : No ingredientslisted.

(b) Hazardous Air **Pollutants (HAPs)**

Clean Air Act - Ozone **Depleting Substances**

(ODS)

: This product does not contain nor is it manufactured with ozone depleting substances.

Product name CAS number **Concentration %**

SARA313 : Isopropyl Alcohol 67-63-0 1%

Form R - Reporting requirements

CERCLA Hazardous

substances

: No ingredients listed.

State regulations

Federal and State

Regulations : Connecticut hazardous material survey: Isopropyl alcohol. Illinois toxic substances disclosure to employee act: Isopropyl alcohol. Rhode Island RTK hazardous substances: Isopropyl alcohol. Pennsylvania RTK: Isopropyl alcohol. Florida: Isopropyl alcohol. Minnesota: Isopropyl alcohol. Massachusetts RTK: Isopropyl alcohol. New Jersey: Isopropyl alcohol. New Jersey spill list: Isopropyl alcohol. Director's list of Hazardous Substances: Isopropyl alcohol. Tennessee: Isopropyl alcohol. TSCA 8(b) inventory: Isopropyl alcohol. TSCA 4(a): final testing order: Isopropyl alcohol. TSCA 8(a) IUR: Isopropyl alcohol.

California Prop 65 : No ingredients listed.

International regulations

Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).

CEPA DSL : MI components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International lists : Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted.

Japan inventory: All components are listed or exempted. **Korea inventory**: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined.

15. Regulatory information

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined.

16. Other information

Label requirements : MAY CAUSE EYE AND SKIN IRRITATION.

Hazardous Material Information System(U.S.A.)

Health

Flammability

Physical hazards

Personal protection

B

National Fire Protection Association(U.S.A.)



Notice to reader

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.