

This Article Information Sheet (AIS) provides relevant battery information to retailers, consumers, OEMs and others users requesting a GHS-compliant SDS. Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria is not designed or intended to be used to classify the physical, health and environmental hazards of an article. Branded consumer batteries are defined as electro-technical devices. The design, safety, manufacture, and qualification of branded consumer batteries follow ANSI and IEC battery standards. This document is based on principles set forth in the following hazard communication approaches: ANSI Z-400.1, GHS, JAMP AIS, IEC 62474, and ANSI C18.4M.

1. Document Information	
Document Name	Procell Alkaline Batteries (Major and Specialty Cells)
Document ID	AIS-ALK
Issue Date	1-May-15
Version	6.0
Preparer	Duracell North America Product Safety & Regulatory
Last Revision	4/30/2021
Information Contact	SDS@duracell.com
2. Company Information	
Name & Address	Duracell Industrial Operations, Inc., 14 Research Drive, Bethel, CT USA 06801. Duracell Batteries BV, Nijverheidslaan 7, 3200 Aarschot, Belgium. Duracell International Operations Sàrl, Rue du Pré-de-la-Bichette 1, CH-1202, Geneva, Switzerland. Suite 2.01, Level 2 423 Pennant Hills Rd Pennant Hills, NSW 2120 Australia.
Global Website	www.procell.com
Consumer Relations: North America	North America: 1-800-551-2355 (9:00 AM - 5:00 PM EST)
Consumer Relations: E&A	(UK) 0800 716434, (FR) 0800 346 790 Service & appel gratuits, (IRL) 1 800 509 176, (DE) 800 101 2112, (AT) 0800 1025 1956, (CH) 0800 000 885, (BE) 0800 509 95, (NL) 0800 265 8616, (IT) 800 125 662, (ES) 900 800 522, (PT) 800 781 012, (GR) 210 66 75 000, (CY) 22-210900, (DK) 78734857, (SE) 0852503857, (FI) 0942705057, (NO) 63791957, (ZA) +27211403500, (RO) 021 3361915, (MD) 022472402, (BG) 02 40 24 500, (BIH) 033756000, (MNE) 020261920, (PL) 22 692 42 77, (LT) (8) 37 401 111, (LV) 67798667, (EE) +3726505555, (CZ) +420233332010, (SK) +42153419601, (HU) 0620 770 7099, (HR) 0800 0009, (SI) 01/588 6800, (AZ) 812 3100949, (UA) +380444909771 (ДП «CAB 92») & +380442476704 (TOB «IHBECTKOM»), (KZ) +7 727 250 05 50, (TM) 00865 530070, (KG) 0312 41 77 04 (Apple City International), (TR) 0 850 502 61 40.
3. Article Information	
Description	Duracell branded consumer alkaline battery
Product Category	Electro-technical device
Use	Portable power source for electronic devices
Global Branding (B2B)	Procell, Procell Intense, Procell Intense Alkaline Battery Packs
Sizes	Major Cells: AA, AAA, C, D & 9V
Sizes	Specialty Cells: 4.5V
Sizes	Procell Intense Alkaline Battery Packs: PXBP (28110); PXBP Style F; PXBP Style B; PXBP Style ILCO
Principles of Operation	A battery powers a device by converting stored chemical energy into electrical energy.

AIS-ALK 1 of 5



Representative Product Images - Major Cells	PROCELL NITANE NITANE NITANE PROCELL PROCELL	PROCELL	Thereses,
	Procell Intense Family	Procell Family	Procell Intense Battery Pack
4. Article Construction			
Applicable Battery Industry	ANSI C18.1M Part 1, AN	SI C18.1M Part 2, ANSI C18	3.4M, IEC 60086-1, IEC 60086-2, IEC
Standards	60086-5		
Electro-technical System	Alkaline Manganese Dio	oxide	
Electrode - Negative	Zinc (CAS # 7440-66-6)		
Electrode - Positive	Manganese Dioxide (CA	S # 1313-13-9)	
Electrolyte	Alkali Metal Hydroxide ((aqueous potassium hydrox	xide - CAS # 1310-58-3)
CAN - NA/Europe	Nickel Cobalt Plated Ste	el	
CAN/China	Nickel Colbalt Plated Ste	eel or Mickel Plated Steel	
Declarable Substances	None		
(IEC 62474 Criteria 1) Mercury Free Battery (ANSI C18.4M <5ppm)	Yes		
Small Cell or Battery (ANSI C18.1M Part 2; IEC 60086-5)		Cells fit inside a specially on the control of the	designed test cylinder 2.25 inches
5. Health & Safety			
Ingestion/Small Parts Warning	Required for Small Cell	or Battery (Sizes: AAA and S	Specialty Cells): Keep away from
	children. If swallowed,	consult a physician immedi	iately.
Normal Conditions of Use	Exposure to contents in	side the sealed battery will	not occur unless the battery leaks, is
	exposed to high temper	atures, or is mechanically a	abused.
Note to Physician	A damaged battery will	release concentrated and o	caustic potassium hydroxide.
First Aid - If swallowed	_	onal Battery Ingestion Hotli	mediately. For information on ine (telephone numbers for the USA
Poison Center/North America	USA/Canada Calls Only: Ingestion Hotline]	: 1-800-498-8666 (Toll Free	e) [24-Hour National Battery
Poison Centers/World Directory	https://globalcrisis.info	o/poisonemergency.html#	<u>#AAA</u>
First Aid - Eye Contact			ical care if irritation persists.
First Aid - Skin Contact	irritation persists.	clothing. Wash skin with so	ap and water. Seek medical care if
First Aid - Inhalation	Remove to fresh air.		
Battery Safety Standards & Testing	standards specify tests a under normal use and r conditions of safety. Th 1-Intended use simula 2-Reasonably foresees (user-drop), over-discha	and requirements for alkali easonably foreseeable miss ese are: tion: Partial use, vibration, able misuse: Incorrect insta	C18. 1M Part 2 and IEC 60086-5. These ne batteries to ensure safe operation use. The test regimes assess three thermal shock, and mechanical shock allation, external short-circuit, free fall ess

AIS-ALK 2 of 5



Precautionary Statements	CAUTION: Batteries may explode or leak, and cause burn injury, if recharged, disposed of
	in fire, mixed with a different battery type, inserted backwards or disassembled. Replace
	all used batteries at the same time. Do not carry batteries loose in your pocket or purse.
	Do not remove the battery label. Keep small batteries (i.e., AAA) away from children. If
	swallowed, consult a physician at once.
6. Fire Hazard & Firefighting	
Fire Hazard	Batteries may rupture or leak if involved in a fire.
Extinguishing Media	Use any extinguishing media appropriate for the surrounding area.
Fires Involving Large Quantities of Batteries	Large quantities of batteries involved in a fire will rupture and release caustic potassium hydroxide. Firefighters should wear self-contained breathing apparatus and protective clothing.
7. Handling & Storage	
Handling Precautions	Avoid mechanical and electrical abuse. Do not short circuit or install incorrectly. Batteries may rupture or vent if disassembled, crushed, recharged or exposed to high temperatures. Install batteries in accordance with equipment instructions.
Storage Precautions	Store batteries in a dry place at normal room temperature. Refrigeration does not make them last longer.
Spills of Large Quantities of Loose	Notify spill personnel of large spills. Irritating and flammable vapors may be released
Batteries (unpackaged)	from leaking or ruptured batteries. Spread batteries apart to stop shorting. Eliminate all ignition sources. Evacuate area and allow vapors to dissipate. Clean-up personnel should wear appropriate PPE to avoid eye and skin contact and inhalation of vapors or fumes. Increase ventilation. Carefully collect batteries and place in appropriate container for disposal. Remove any spilled liquid with absorbent material and contain for disposal.
8. Disposal Considerations (GHS Section	
Collection & Proper Disposal	Dispose of used (or excess) batteries in compliance with federal, state/provincial and local regulations. Do not accumulate large quantities of used batteries for disposal as accumulations could cause batteries to short-circuit. Do not incinerate. In countries, such as Canada and the EU, where there are regulations for the collection and recycling of batteries, consumers should dispose of their used batteries into the collection network at municipal depots and retailers.
USA EPA RCRA (40 CFR 261)	Classified as non-hazardous waste (not ignitable, corrosive, reactive or toxic). Federal Universal Waste Regulations (40 CFR 273) do not apply. State requirements may be more stringent than Federal.
California Universal Waste Rule (Cal. Code Regs. Title 22, Div. 4.5, Ch. 23)	California prohibits disposal of batteries as trash (including household trash).
Vermont Primary Battery	In Vermont, consumers must recycle alkaline batteries. For information, contact
Stewardship Law (ACT 139)	http://www.call2recycle.org.
9. Transport Information (GHS Section	
Regulatory Status	Not regulated. Alkaline batteries (sometimes referred to as "Dry Cell" or "household"
	batteries) are not listed or regulated as dangerous goods under IATA Dangerous Goods Regulations, ICAO Technical Instructions, IMDG Code, UN Model Regulations, U.S. Hazardous Materials Regulations (49 CFR), and UNECE ADR.
UN Identification Number/ Shipping Name	None - Not Required

AIS-ALK 3 of 5



Special Provision (SP) Conformance	Special regulatory provisions require batteries to be packaged in a manner that prevents the generation of a dangerous quantity of heat and short circuits. Shippers can prepare batteries by taping the terminals, individually packaging batteries, or otherwise segregating the batteries to prevent risk of creating a short circuit. Batteries shipped in original unopened Duracell packaging is compliant.
US DOT SP	49 CFR 172.102 Special Provision 130
Air Transport (IATA/ICAO) SP	Special Provision A123 (62nd Edition - 2021). NOTE: The words "NOT RESTRICTED" and "SPECIAL PROVISION A123" must be included on the description of the substance on the Air Waybill, when air way-bill is issued.
Passenger Air Travel	No restrictions
Emergency Transportation Hotline	CHEMTREC 24-Hour Emergency Response Hotline Within the United States call +703-527-3887 Outside the United States, call +1 703-527-3887 (Collect)

10. Regulatory Information (GHS Section 15)

USA EPA Mercury Containing &	During the manufacturing process, no mercury is added.
Rechargeable Battery Management	
Act of 1996	
EU Battery Directive 2006/66/EC	Compliant with marking and substance restrictions for mercury (<0.0005%); cadmium
& amendment 2013/56/EU	(<0.0020%)I and lead (<0.0040%). Global labels are marked with the special collection symbol and the EU qualifier in accordance with EU Battery Directive 2006/66/EC, Article 11, Paragraph 1 on batteries and accumulators and waste batteries and accumulators (Annex II).

P.R.C. Provision on Mercury Content Limitation for Batteries (GB 8897.5-2005, MOD, Section 9.1(e)



P.R.C. Mercury Free Battery (GB 24427-2009) < 1ppm

Yes

10b. General Requirements	
USA CPSIA 2008 (PL. 11900314)	Exempt
USA CPSC FHSA (16 CFR 1500)	Consumer batteries are not listed as a hazardous product.
USA EPA TSCA Section 13 (40 CFR 707.20)	For customs clearance purpose, batteries are defined as an "Article".
USA EPA RCRA (40 CFR 261)	Classified as non-hazardous waste (not ignitable, corrosive, reactive or toxic). Federal Universal Waste Regulations (40 CFR 273) do not apply. State requirements may be more stringent than Federal.
California Prop 65	No warning required per 3rd party assessment.
CANADA Products Containing Mercury Regulations SOR/20140254	Mercury free
EU REACH REGULATION (EC) NO. 1907/2006 and REACH SVHC	Regulated as an "article." No listed SVHC substances are present (>0.1% w/w) in accordance with ECJ article definition of 10 September 2015. This SVHC communication is basd on the best available information to us. Duracell is managing compliance with EU REACH as part of our daily quality, safety, and regulatory activities. The Candidate List of SVHC's is updated approximately bi-annually and Duracell will update this declaration accordingly if the updated SHVC list affects the assessment herein.
EU REACH Article 31	SDS is not required for consumer alkaline batteries.
10c. Regulatory Definitions - Articles	

USA OSHA 29 CFR 1910.1200(b)(6)(v)
AIS-ALK 4 of 5



USA TSCA	40 CFR 704.3; 710.2(3)(c); and [19 CFR 12.1209a)]	
EU REACH	Title 1 - Chapter 2 - Article 3(3)	
GHS	Section 1.3.2.1	
11. Other Information		
11a. Certification & 3rd Party Approva	als	
Note:	UL Listing applies to all 9Vand only AA manufactured in LaGrange USA and China.	
UL (UTGT2.S50939 Single Multiple	AA, 9V	
Station Smoke Alarms - Component)	Certification Standard: ANSI/UL 217 Single & Multiple Station Smoke Alarms	
11b. AIS Hazard Communication Appr	oaches (consulted in developing this document):	
Globally Harmonized System (GHS)	GHS SDS requirements and classification criteria do not apply to articles or products (such as batteries) that have a fixed shape, which are not intended to release a chemical. The article exemption is found in Section 1.3.2.1.1 of the GHS and reads: <i>The GHS applies to pure substances and their dilute solutions and to mixtures. "Articles" as defined by the Hazard Communication Standard (29 CFR 1900.1200) of the OSHA of the USA, or by similar definition, are outside the scope of the system."</i>	
Joint Article Management Promotion Consortium JAMP	JAMP is a Japanese Industry Association who developed the concept of an Article Information Sheet as a supply chain tool to share and communicate chemical information in articles. The AIS authoring process is based on "declarable" substances to meet globa regulatory requirements as well as substances to be reported by GADSL, JIG, etc.	
IEC 62474 Ed. 1.0 B:2012 Material Declaration for Products of and for the Electro-technical Industry	An international standard that came into effect in March 2012 concerning declaration for electrical and electronic products. IEC 6274 replaces the defunct Joint Industry Guide – Material Declaration for Electro-technical Products (JIG-101-Ed 4.1 (May 21, 2012)	
Environmental Standardization for	The general principle for a substance to be included in the database as a declarable substance is: 1) existing national laws or regulations in an IEC member country that are relevant to Electro-technical products and that prohibit or restrict substances, or that have a labeling, communication, reporting or notification requirement, and 2) applying IEC 62474 criteria results in identification of declarable substance.	
ANSI C18.4M-2017 Portable Cells and Batteries - Environmental	This standard provides regulatory guidance and a template to author an article information sheet for a portable consumer battery. See Annex (inforamative) C.2 Safety Data Sheets and Annex E (Informative) E. 2 General.	
ANSI Z 400.1/Z19.1 (2010)	2.1 Scope: Applies to preparation of SDSs for hazardous chemicals used under occupational conditions. Does not address how the standard may be applied to articles. It presents basic information on how to develop and write a SDS. Additional information is provided to help comply with state and federal environmental and safety laws and regulations. Elements of the standard may be acceptable for International use.	
material. The information contained accurate to the best of the Company's communication regulations. This inforconditions of use and design the approximation of the conditions of the condition	rovide a brief summary of our knowledge and guidance regarding the use of this here has been compiled from sources considered by Duracell to be dependable and is s knowledge. It is not meant to be an all-inclusive document on worldwide hazard rmation is offered in good faith. Each user of this material needs to evaluate the opriate protective mechanisms to prevent employee exposures, property damage or I assumes no responsibility for injury to the recipient or third persons or for any damage	

AIS-ALK 5 of 5

to any property resulting from misuse of the product.