

Version: 1.0 Revision Date: 02/18/2020

SAFETY DATA SHEET

1. Identification

Product identifier: CLAIRE FAST KILL RESIDUAL ROACH & ANT KILLER - EPA# 706-108

Other means of identification SDS number: RE1000012027

Recommended restrictions

Product use: Pesticide Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	CLAIRE MANUFACTURING COMPANY
Address:	1000 Integram Dr
	Pacific, MO 63069
Telephone:	1-630-543-7600
Fax:	

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards	
Flammable aerosol	Category 1
Health Hazards	
Aspiration Hazard	Category 1

Environmental Hazards

Acute hazards to the aquatic environment

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Extremely flammable aerosol. May be fatal if swallowed and enters airways. Very toxic to aquatic life.

Category 1



Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.
Response:	IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Collect spillage.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	50 - <100%
Propane	74-98-6	5 - <10%
Butane	106-97-8	5 - <10%
Esfenvalerate	66230-04-4	0.0001 - <0.1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Inhalation:	Move to fresh air.	
Skin Contact:	Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.	
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.	
Most important symptoms/effects, acute and delayed		
Symptoms:	No data available.	
Hazards:	No data available.	

Indication of immediate medical attention and special treatment needed

No data available.



5. Fire-fighting measures

General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) extingu	uishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.	
Special protective equipment an	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measure	s	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.	
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.	
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.	
7. Handling and storage		
Precautions for safe handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.	
Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3	



8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure	Limit Values	Source
Distillates (petroleum), hydrotreated light	REL		100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA		200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

Appropriate	Engineering
Controls	

No data available.

Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Other:	Wear suitable protective clothing.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	Estimated 197.26 °C
Flash Point:	Estimated -104.4 °C
Evaporation rate:	No data available.



Flammability (solid, gas):	No data available.			
Upper/lower limit on flammability or explosive limits				
Flammability limit - upper (%):	Estimated 9.5 %(V)			
Flammability limit - lower (%):	Estimated 1.9 %(V)			
Explosive limit - upper (%):	No data available.			
Explosive limit - lower (%):	No data available.			
Vapor pressure:	Estimated 2,413 - 3,447 hPa			
Vapor density:	No data available.			
Density:	No data available.			
Relative density:	No data available.			
Solubility(ies)				
Solubility in water:	No data available.			
Solubility (other):	No data available.			
Partition coefficient (n-octanol/water):	No data available.			
Auto-ignition temperature:	No data available.			
Decomposition temperature:	No data available.			
Viscosity:	No data available.			

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure Inhalation: No data available.		
Skin Contact: No data available		
Eye contact: No data available		
Ingestion: No data available		

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.



Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Distillates (petroleum), hydrotreated light	LD 50 (Rat): > 5,000 mg/kg
Esfenvalerate	LD 50 (Rat): 87 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Distillates (petroleum), hydrotreated light	LD 50 (Rabbit): > 2,000 mg/kg
Esfenvalerate	LD 50: > 2,000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s): Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Butane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Esfenvalerate	LC 50: 0.6 mg/l LC 50: 3 mg/l
Repeated dose toxicity Product:	No data available.
Specified substance(s): Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Butane	Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study
Skin Corrosion/Irritation Product:	No data available.



the second s		
Specified substance(s): Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study	
Serious Eye Damage/Eye Irritation Product: No data available. Specified substance(s):		
Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating	
Respiratory or Skin Sensitization Product:	n No data available.	
Specified substance(s): Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evalua No carcinogenic components	ation of Carcinogenic Risks to Humans: s identified	
US. National Toxicology Program No carcinogenic components		
US. OSHA Specifically Regulated No carcinogenic components	d Substances (29 CFR 1910.1001-1050): s identified	
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Single Exposure Product: No data available.		
Specific Target Organ Toxicity - Product:	Repeated Exposure No data available.	
Aspiration Hazard Product:	No data available.	
Specified substance(s): Distillates (petroleum), hydrotreated light	May be fatal if swallowed and enters airways.	
Other effects:	No data available.	

12. Ecological information

Ecotoxicity:



Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Esfenvalerate	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.00018 - 0.00027 mg/l Mortality
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Esfenvalerate	LC 50 (Water flea (Daphnia magna), 48 h): 0.00019 - 0.00042 mg/l Mortality
Chronic hazards to the aquatic	environment:
Fish Product:	No data available.
Specified substance(s): Distillates (petroleum), hydrotreated light	NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
Specified substance(s): Distillates (petroleum), hydrotreated light	61 % Detected in water. Experimental result, Supporting study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
BOD/COD Ratio Product:	No data available.

Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.



14. Transport information		
Contaminated Packaging:	: No data available.	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Do not allow to enter drains, sewers or watercourses.	
13. Disposal considerations		
Other adverse effects:	Very toxic to aquatic organisms.	
Esfenvalerate	No data available.	
Butane	No data available.	
Distillates (petroleum), hydr Propane	otreated light No data available. No data available.	
	ution to environmental compartments	
Mobility in soil:	No data available.	
Product:	No data available.	
Partition Coefficient n-octanol /	water (log Kow)	
Specified substance(s): Esfenvalerate	Algae, algal mat (Algae), Bioconcentration Factor (BCF): 506 (Renewal) Water flea (Daphnia magna), Bioconcentration Factor (BCF): 322 (Renewal)	

DOT

UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): Packing Group: Marine Pollutant:	UN 1950 Aerosols, flammable 2.1 – II No
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group:	UN 1950 Aerosols, flammable 2 – F-D, S-U –
Environmental Hazards: Marine Pollutant	Yes No
Special precautions for user: IATA UN Number: Proper Shipping Name:	Not regulated. UN 1950 Aerosols, flammable



Transport Hazard Class(es): Class: Label(s):	2.1
Packing Group:	_
Environmental Hazards:	Yes
Marine Pollutant	No
Special precautions for user:	Not regulated.
Cargo aircraft only:	Allowed.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Propane	lbs. 100
Butane	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Aspiration Hazard

SARA 302 Extremely Hazardous Substance

•	Reportable	Threshold Planning
Chemical Identity	<u>quantity</u>	<u>Quantity</u>
Distillates (petroleum), hydrotreated light		

SARA 304 Emergency Release NotificationChemical IdentityReportable quantityDistillates (petroleum), hydrotreated lightIbs. 100PropaneIbs. 100ButaneIbs. 100


SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Distillates (petroleum), hydrotreated light	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Esfenvalerate	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations





US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Distillates (petroleum), hydrotreated light Propane Butane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Distillates (petroleum), hydrotreated light Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Butane

Montreal protocol

Distillates (petroleum), hydrotreated light

Stockholm convention

Distillates (petroleum), hydrotreated light

Rotterdam convention

Distillates (petroleum), hydrotreated light

Kyoto protocol



Inventory Status: Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	Not in compliance with the inventory.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	On or in compliance with the inventory
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: Revision Information:	02/18/2020 No data available.
Version #:	1.0
Further Information:	FIFRA: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.