

According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name	Green Klean Chlorinated Disinfecting Tablets	
Product id Revision date	AS_9717BT_GK 29/08/2016	Re

Revision: 2

1. Identification of the substance & the company

Chemical name	DICHLOROISOCYANURIC ACID, SODIUM SALT OF	
Synonym(s)	Effervescent NaDCC Tablets, Sodium Dichloro-s-Triazinetrione	
Type of product and use	Multi-purpose product including bleaching, cleaning, and deodorizing.	
Supplier	SOP Green Klean 615 Industrial Dr, Ste D Cary, IL 60013 USA Phone Number 815-479-0460	
Emergency Telephone	Medical: (800) 420-9236 Chemtrec: (800) 424-9300	

2. Hazards identification

GHS classification	GHS	classification
--------------------	-----	----------------

Eye Irrit. 2, H319 Causes serious eye irritation STOT SE 3, H335 May cause respiratory irritation Aquatic Acute 1, H400 - Very toxic to aquatic life Aquatic Chronic 1, H410 - Very toxic to aquatic life with long lasting effects



Signal Word

Hazard statements

WARNING

H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H410 - Very toxic to aquatic life with long lasting effects
EUH031 - Contact with acids liberates toxic gas



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016	Revision: 2
Precautionary statements	 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray P264 - Wash hands thoroughly after handling P271 - Avoid use in a confined area P273 - Avoid release to the environment P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for seve minutes. Remove contact lenses, if present and easy to do. Continue P337 + P313 - If eye irritation persists: Get medical advice/attention P304 + P340 - IF INHALED: Remove person to fresh air and keep cor breathing P312 - Call a POISON CENTER or doctor/physician if you feel unwell P391 - Collect spillage P403 + P233 - Store in a well-ventilated place. Keep container tightly of P405 - Store locked up P501 - Dispose of contents/container in accordance with national and regulations 	rinsing nfortable for closed

3. Composition / information on ingredients

Components	CAS No.	Weight %
DICHLOROISOCYANURIC ACID, SODIUM SALT OF	2893-78-9	30-62.5
ADIPIC ACID	124-04-9	10-35
SODIUM BICARBONATE	144-55-8	21.44–22.76
SODIUM CARBONATE	497-19-8	2-12

4. First-aid measures	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.



Product name Product id Revision date	Green Klean Chlorinated Disinfecting TabletsAS_9717BT_GK29/08/2016Revision: 2		
Ingestion	Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Most important symptoms and	effects, acute or delayed		
- Eye Contact	This material is corrosive to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.		
- Skin contact	Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer based on studies with guinea pigs.		
- Inhalation	This material contained in this tablet in solid form is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction for the tablet active ingredient is typically less than 0.1% by weight for the granular and extra granular grades. If it is ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary oedema may develop, either immediately or more often within a period of 5-72 hours. The symptoms may include tightness in the chest, dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.		
- Ingestion	Not a likely route of exposure. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the oesophagus and gastrointestinal tract may range from irritation to severe corrosion. Oedema of the epiglottis and shock may occur		
Note to physician	No specific antidote. Treat symptomatically and supportively. Probable mucosal damage may contraindicate the use of gastric lavage.		
Medical conditions aggravated by exposure	Eye disorders, respiratory disorders, skin disorders and allergies		



Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016 Revision: 2		
5. Fire - fighting meas	ures		
Suitable extinguishing media	Large amounts of water may be needed and the flow of water should not be stopped until the fire/reaction has stopped.		
Extinguishing media not to be used	Avoid using dry chemicals, carbon dioxide or halogenated extinguishing agents.		
Unusual fire and explosion hazards	When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.		
Fire fighting procedure	Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.		
6. Accidental release measures			

Personal precautions	Avoid contact with skin, eyes and clothing. Chemical safety goggles Chemical resistant gloves
Methods for cleaning up	Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. Do not close containers containing wet or damp material. Do not transport damp or wet material.
Environmental precautions	Prevent flow of material into water source and begin monitoring available chlorine and pH immediately.
- Soil	Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.
- Water	This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.
- Air	Vapors may be suppressed by the use of water fog.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016	Revision: 2
7. Handling and storage	ge	
Handling	Avoid contact with skin, eyes, and clothing. Upon contact with skin o off with water. Avoid breathing the substance. Use respiratory protect exposure is possible. Vapour space in a closed container may conta amount of chlorine gas and compounds from decomposition of the pr	tion when in a slight
Storage	Store in a dry, cool (< 25°C), well ventilated area away from incompa materials (see "materials to avoid"). Do not allow water to get into the	

8. Exposure controls / personal protection

Exposure Limits :

Components		ACGIH-TLV Data	OSHA (PEL) Data
DICHLOROISOCYANURIC ACID, SODIUM		Not determined	Not determined
SALT OF			
2893-78-9			
ADIPIC ACID		5 mg/m³	Not determined
124-04-9			
SODIUM BICARBONATI		Not determined	Not determined
144-55-8			
SODIUM CARBONATE		Not determined	Not determined
497-19-8			
Ventilation requirements		erial should be handled in a well-vent y, especially under dusty conditions.	ilated area. Use local exhaust as
 Personal protective equipment: Respiratory protection Hand protection Eye protection Skin and body protection 	Chemical Chemical	f insufficient ventilation wear suitable resistant gloves, PVC or nitrile reco safety goggles ective clothing impervious to this mat	mmended
Hygiene measures		at, smoke or drink where material is h proughly after handling and before ea	nandled, processed or stored. Wash ating or smoking. Safety shower and

9. Physical and chemical properties

Appearance	White to off white tablets
Odor	Slight chlorine.
рН	5-6

eye bath should be provided.



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016	Revision: 2
Boiling point/range	Not applicable	
Flash point	Not applicable	
Evaporation rate (ether=1)	Not applicable under standard conditions	
Flammability (solid, gas)	Not flammable	
Vapor pressure	Not applicable under standard conditions	
Vapor density	Not applicable under standard conditions	
Solubility:		
 Solubility in water 	Completely miscible	
Partition coefficient	Log Kow - 0	
(n-octanol/water)		
Auto-ignition temperature	Not applicable	
Decomposition temperature	225-250°C (437-482°F)	

10. Stability and reactivity

Reactivity	Contact with small amounts of water may result in an exothermic reaction with the liberation of toxic fumes.
Stability	Stable under normal conditions
Possibility of hazardous reactions	Contact with acid liberates toxic gases If heated by outside source to temperatures above 240°C (464°F), this product will undergo decomposition with the evolution of noxious gases.
Conditions to avoid	Heating above decomposition temperature. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.
Materials to avoid	Strong acids and/or alkalines. Reducing agents. Combustible material. The active ingredient in this preparation is a strong oxidising agent. The preparation of concentrated solutions or slurries is not recommended. Avoid contact with water on concentrated material in the container. Also avoid contact with easily oxidisable organic material: ammonia, urea or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite and alkalis.
Hazardous decomposition products	Nitrogen trichloride, nitrogen, cyanogen chloride, phosgene, chlorine and CO.

11. Toxicological information

Note:	The toxicological data refer only to the active ingredient unless otherwise specified
Acute toxicity:	
- Rat oral LD50	>2000 mg/kg (the product as a whole)



Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016 Revision	: 2
- Rabbit dermal LD50	>5000 mg/kg	
- Rat inhalation LC50	0.27-1.17 mg/L/4h	
- Dermal irritation (rabbit)	Moderate irritant	
- Eye irritation (rabbit)	Severe irritant	
Dermal sensitization	Not a sensitizer	
Chronic toxicity	Chronic inhalation exposure may cause impairment of lung function and permanent lung damage. Based on animal studies, exposure to concentrations monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.	of
Mutagenicity	Not mutagenic by the Ames Test.	
Carcinogenicity	Not known to be a carcinogen. Not classified by IARC, OSHA, EPA. Not included in NTP 13th Report on Carcinogens	
Reproductive toxicity	No data available	
12. Ecological information		

Note:	The environmental toxicity data mentioned below are from studies conducted on the active ingredient.
Aquatic toxicity :	
- 96 Hour-LC50, Fish	0.13-0.36 mg/l (Rainbow trout) 0.25-1.0 mg/l (Bluegill sunfish) 1.21 mg/l (Inland silverside)
- 96 Hour-EC50,Marine Invertebrate	1.65 mg/l (96h, Mysid shrimp)
- 48 Hour-EC50,Marine Invertebrate Avian toxicity:	0.196 mg/l (Water flea)
 Oral LD50, Bobwhite quail Oral LD50, Mallard duck 	1732 mg/kg 1916 mg/kg
- Dietary LC50, Mallard duck - Dietary LC50, Bobwhite quail	>10,000 ppm 10,000 ppm
	$\left(\begin{array}{c} P_{0,0} \\ P_{0,0} \end{array}\right)$



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Product name Product id Revision date	Green Klean Chlorinated Disinfecting TabletsAS_9717BT_GK29/08/2016Revision: 2
Persistence and degradability	The materials used in this preparation will not persist in the environment. The free available chlorine from Sodium dishloroisocyanurate is rapidly consumed by reaction with organic and inorganic materials to produce chloride ion. The stable degradation products are chloride ion and cyanuric acid. Sodium Dichloroisocyanurate is subject to hydrolysis. Cyanuric acid produces by hydrolysis is biodegradable.
Bioaccumulative potential	Trichloroisocyanuric acid hydrolyses in water liberating chlorine and cyanuric acid. These products are not bioaccumulative
Note:	Not considered to be PBT or vPvB
13. Disposal consideration	ations
Waste disposal	Avoid access to streams, lakes or ponds. Observe all federal, state and local environmental regulations when disposing of this material. Do not transport damp or wet material. Neutralise materials to a non-oxidising state for safe disposal.
Disposal of Packaging	Clean Container and dispose of according to local and national regulations

14. Transportation information

Independent tests, carried out by TNO Prins Mauritis Laboratory, conducted according to the procedure as described in the United Nations Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, third revised edition, test 0.1. have demonstrated that the product is not oxidizing for transport

DOT

Not regulated for non bulk shipments
For bulk shipments regulated as:
UN No. 3077
Proper shipping name: Environmentally hazardous substance, solid, n.o.s (contains Sodium dichloro-s-triazinetrione)
Class: 9 - Miscellaneous Hazardous Material
Packing Group: III
Label: 9
Note: Certain shipping modes or package sizes may have exceptions from the transport regulations and may be classified as Consumer Commodity and Limited Quantity. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.



Product name Product id Revision date	Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016	Revision: 2
15. Regulatory information		
USA	All the ingredients in this preparation are listed in the EPA TSCA Inve This product is registered under FIFRA	ntory.
- EPA Registration no.	69470-37-91038	
- Emergency overview in accordance to EPA Master Labe	DANGER I Corrosive Causes irreversible eye damage Harmful if swallowed, inhaled or absorbed through the skin Strong oxidizing agent	
CERCLA/SARA - 302 ext. haz. substances	This material contains hazardous substance (Adipic Acid) as defined CERCLA/SARA and the Reportable Quantity (RQ) is 5000 lbs.	by
- SARA (311, 312)	This product is categorized as an immediate health hazard, and fire a physical hazard (Sodium dichloroisocyanurate)	nd reactivity
- Massachusetts Right-to-Know Hazardous Substances list - New Jersey Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
- Pennsylvania Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
- Rhode Island Right-to-Know Hazardous Substances list	Listed (Adipic Acid, Sodium dichloroisocyanurate)	
Canada	Listed in DSL	
WHMIS hazard class	For Sodium dichloroisocyanurate: C oxidizing materials D1B Toxic material causing immediate and serious toxic effects D2B Toxic materials causing other toxic effects	
	For Sodium Carbonate: E corrosive material D2B Toxic materials causing other toxic effects	
EU	All ingredients are reported in EINECS	



According to OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Green Klean Chlorinated Disinfecting Tablets AS_9717BT_GK 29/08/2016

Revision: 2

16. Other information

Product name

Product id Revision date

All sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (GHS)

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, SOP Green Klean makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will SOP Green Klean be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANT ABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE, ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Prepared by	North America Regulatory Affairs ICL-IP America Inc. 95 MacCorkle Ave.,S.W. South Charleston,WV 25303, USA Phone number:(304)746-3000
Prepared for	SOP Green Klean 615 Industrial Drive; Ste. D Cary, IL 60013 Tel: (815) 479-0460

End of safety data sheet